

Verfügbare Adapter/Kabel u. Zubehör. Forensic

ZXi Forensic

F-ZXI-F-EXP-KIT

ZXi Forensic expansion kit. Includes 3 additional destinations (2 SAS/SATA, 1 SATA), 3 cables, 1 drive tray

F-ADP-USB2SATAU

USB 3.0 to SATA Adapter

F-ADP-Z-2.5-IDE

2.5/3.5" IDE to SATA adapter to image 2.5" or 3.5" IDE type drives

F-ADP-Z-1.8-IDE

IDE to SATA Adapter

F-ADP-Z-ZIF-IDE

1.8" IDE ZIF to SATA adapter

F-ADP-M.2-SATA

M.2 PCIe (SATA-Type) to SATA adapter

F-ADP-Z-MSATA

mSATA to SATA adapter to image mSATA drives

F-CABLE-MCRSATA

microSATA to SATA adapter to image microSATA drives

F-CBL-ESATA-Z

Cable for eSATA hard drives

F-CABLE-SAS18

18" extended SAS/SATA cable set

F-ADP-FLASH-RDR

Used for imaging various flash media, including compact flash, SD cards.

Falcon Neo

F-FC-MODULE-OPT

Fibre Channel Module. cloning or imaging one Fibre Channel device or 40-pin Fibre Channel Drive. The Fibre Channel device or drive can be used either as a Source or Destination with this kit.

F-FNEO-CLD-OPT

Cloud Storage Acquisition Option. Acquire files stored in supported cloud drives. Annual, renewable software subscription.

F-FNEO-CELL-OPT

Mobile Device Capture Option. Capture data from unlocked mobile devices. Annual, renewable software subscription.

F-ADP-PCI-FN-KT

Adapter kit for M.2 PCIe SSDs, PCIe and mini-PCIe cards. Includes 1 each; , M.2 to PCIe adapter, miniPCIe to PCIe adapter, M.2. to SATA adapter, PCIe to PCIe extender cable. For use with the Forensic Falcon-NEO.

F-FNEO-IO-TBT

Thunderbolt™/USB-C I/O card provides support for Thunderbolt storage enclosures. Card connects to any of Falcon-NEO's I/O ports included 2 write-

protected source and 1 destination I/O port. The I/O card does not currently support imaging in TDM from Mac® systems, please refer to the Falcon-NEO users' manual on how to image from Mac systems in TDM using the USB ports or our iSCSI boot device.

F-FW-MODULE-OPT

FireWire Module provides support for FireWire storage enclosures. Module connects to any of Falcon-NEO's PCIe ports. Provides 1 FireWire port that can be used as either source (write-protected) or destination. Mac systems with a Thunderbolt port can be connected to the module using an off-the-shelf Thunderbolt to FireWire adapter.

F-FALNEO-SCSI-OPT

Provides 1 SCSI port that can be used as either source (write-protected) or destination. Connects to the PCIe ports on the Falcon-NEO.

F-ADP-SCSI-50

50 pin to 68 pin SCSI adapter for use with the Falcon-NEO SCSI Module Option (F-FALNEO-SCSI-OPT).

F-ADP-SCSI-80

80 pin to 68 pin SCSI adapter for use with the Falcon-NEO SCSI Module Option (F-FALNEO-SCSI-OPT).

F-ADP-Z-MSATA

mSATA to SATA adapter to image mSATA drives.

F-CABLE-MCRSATA

microSATA to SATA adapter to image microSATA drives.

F-HUB-3.0-U

4-port USB 3.0 hub.

F-ADP-USB2SATA3

USB 3.0 to SATA Adapter and power supply.

F-CBL-USBSAT-KT

Includes a USB Power Cable(F-CBL-USB-PWR) and 3 USB2SATA adapters. the USB Power Cable eliminates the need for additional power supplies when using USB to SATA adapters connected to USB ports on the Falcon-NEO. Connect up to 3 USB to SATA adapters. Cable connects to the 2nd power port of the Falcon-NEO or directly to the Falcon-NEO power supply.

F-ADP-Z-2.5-IDE

2.5/3.5" IDE to SATA adapter to image 2.5" or 3.5" IDE type drives.

F-ADP-ZIF-1.8PK

Combo pack. Includes quantity 1 F-ADP-ZIF-2 and quantity 1 F-ADP-Z-1.8-IDE adapter used together to image 1.8" IDE ZIF drives.

F-ADP-FLASH-RDR

Used for imaging various flash media, including compact flash, SD cards.

F-CABLE-ESATA

eSATA to SATA converter cable for eSATA hard drives.

F-CBL-SATA18-FL

18" extended SATA cable set.

Talon Ultimate

F-ADP-PCIE-T-KT

PCIe adapter kit for the PCIe enabled Talon Ultimate (F-TALON-U-P or F-TALON-U-I-P). Includes adapters for M.2 PCIe, M.2 SATA, M.2 NVMe, mSATA, PCIe and mini-PCIe cards, 1 each of F-ADP-M.2-PCIE, F-ADP-MINI-PCIE, F-ADP-M.2-SATA, F-ADP-Z-MSATA.

F-TALU-MTSK-OPT

Multi-Task Option. Activates 2nd SATA/SAS-Ready source port and provides ability to image from 1-4 source drives up to 4 destination drives simultaneously. Includes 1 SATA/SAS cable.

F-TALU-SAS2-OPT

Talon Ultimate SAS support software activation – source and destination ports. Provides support for SAS hard drives.

F-TALU-F2F-OPT

Targeted/Logical Imaging option software activation. Create a logical image using pre-set, custom filters, file signature filters and/or keyword search to capture only specific files needed.

F-ADP-USB2SATAU

USB 3.0 to SATA Adapter.

F-HUB-3.0-U

4-port USB 3.0 hub.

F-ADP-M.2-SATA

M.2 PCIe (SATA-Type) to SATA adapter.

F-ADP-Z-2.5-IDE

2.5/3.5" IDE to SATA adapter to image 2.5" or 3.5" IDE type drives.

F-ADP-ZIF-1.8PK

Combo pack. Includes quantity 1 F-ADP-ZIF-2 and quantity 1 F-ADP-Z-1.8-IDE adapter used together to image 1.8" IDE ZIF drives.

F-ADP-FLASH-RDR

Used for imaging various flash media, including compact flash, SD cards.

F-ADP-Z-MSATA

mSATA to SATA adapter to image mSATA drives.

F-CABLE-MCRSATA

microSATA to SATA adapter to image microSATA drives.

F-CABLE-ESATA

Cable for eSATA hard drives.

F-CBL-SATA18-FL

18" extended SATA cable set.

F-SOFTCASE

Talon Ultimate soft-sided carrying case.